NATIVE ELDER CAREGIVER CURRICULUM NECC: 2.5 ADL'S & IADL'S



Activities of Daily Living: (ADL's) & Instrumental Activities of Daily Living (IADL's)

Activities of Daily Living & Instrumental ADL's

- □ What are ADL's?
- □ What are IADL's?
 - and
- What do ADL's & IADL's have to do with Native Elders & their Caregivers?





3			
	ADL's: What are they?*		
	Activities of Daily Livin	g	UTR
	Eating		TEN
	Walking	CH-	
	Using the toilet		
	Dressing	M	
	Bathing		
	Getting in & out of bed		

*NRCNAA (April, 2002)

IADL's: What are they?* (NRCNAA, April 2002) Instrumental Activities of Daily

Living

Cooking

□ Shopping



5

- □ IADL's (cont'd)
- Using a phone
- Doing housework
- Getting outside the home
- □ Managing money







What do ADL's & IADL's have to do with Native Elders & Caregivers?

Level of ADL's & IADL's of elders is directly related to their ability to continue to live in their home setting



Level of ADL's & IADL's is directly related to:

Caregivers' ability to continue to provide care in the home for their elders

OR

Need for nursing home care





Impact: ADL's & IADL's

BABY BOOMERS!

Arrival of "Baby Boomers" into the "elder" population will increase need for more long-term care services (further discussion in 3.1)

Native Elder population is "Booming"!

"a combination of large numbers of people becoming elders and early ages of onset for many chronic diseases that produce functional limitations creates a growth in functional limitations of 51% in just one decade" (NRCNAA, 2002)

Impact: ADL's & IADL's

9

BABY BOOMERS!

Arrival of "Baby Boomers" into the "elder" population will increase need for more long-term care services (further discussion in 3.1)

Impact: ADL's & IADL's

BABY BOOMERS!

Native Elder population is "Booming"!

"a combination of large numbers of people becoming elders and early ages of onset for many chronic diseases that produce functional limitations creates a growth in functional limitations of 51% in just one decade"

(NRCNAA, 2002)

- Usually, elders need help with IADL's before they need help with ADL's*
- Usually bathing is first ADL that the elder identifies as needing help with*
- Need for help with eating & toileting is not identified as often as the other ADL's among elders who are not in "institution" care*



* Cited in NRCNAA (April, 2002)

Categories & Classification Levels "Functional Limitations" Limits to being able to do the ADLs & IADLs independently A 4 level Classification of Functional Limitations was developed according to the ability to perform IADL's & ADL's

What do these 4 "categories" or "classifications "mean?

"Little or None" limitations

No long term care services are needed

- "Moderate" limitations
 - Beginning to need care, can probably be met with home & community-based services (HCBS)... this is where "Caregivers" come in!



"Moderately Severe"

limitations

Need more care – probably at least "assisted living" services are needed

"Severe" limitations

Need much care – probably nursing home services



15

- Caregivers often provide home-based care for elders who are in the "Moderately Severe" Category
- Sometimes, family Caregivers provide home-based care for elders who are in the "Severe" Category
 - For example, in care of terminal illness
 - When people are on "hospice" service

FUNCTIONAL LIMITATION CATEGORIES*

NRCNAA (April, 2002)

6			
	FUNCTIONAL LIMITATION CATEGORIES	ADL's	IADL's
	Little or None	0	1 or less
	Moderate	O 1	2 or more 0
	Moderately Severe	2	0
	Severe	3	0

(Home & Community-Based Services)

Can make a very big difference:

In maintaining an elder in the home setting

In supporting family Caregivers

so they can continue to provide elder-care in the home

JOURNEY FOR CAREGIVERS



Caring for Our Elders: 2.5 ADLs and IADLs

TALKING CIRCLE DISCUSSION

- 19
- □ 1. IMPACT OF HCBS ON NATIVE ELDERS
- □ 2. IMPACT OF HCBS ON FAMILY CAREGIVERS
- 3. WHAT HCBS ARE MOST HELPFUL TO FAMILY CAREGIVERS?
- 4. WHAT HCBS ARE AVAILABLE TO NATIVE ELDERS & FAMILY CAREGIVERS IN INDIAN COUNTRY?
- □ 5. WHAT IS MOST NEEDED IN HCBS?



